Midwestern State University

Purchasing & Contract Management Department 3410 Taft Blvd., Daniel Bldg., Room 200 Wichita Falls, TX 76308



Request for Proposal

Nursing Equipment for New Health Science & Human Services Building

RFP 735-19-4323

August 8, 2019

Anticipated Schedule of Events

August 8, 2019 August 20, 2019 (12:00 pm CT) August 21, 2019 (5:00 pm CT)

August 29, 2019 (2:00 pm CT)

Issuance of RFP Deadline for Submission of Questions Release of Official Responses to Questions (or as soon thereafter as practical)

Deadline for Submission of Offers

Table of Contents

Section 1: Summary

1. Summary

Section 2: General Information

2.1 Introduction

2.2 Terms & Conditions

Section 3: Notice to Bidders

- 3.1 Clarification of Instructions or Specifications
- 3.2 Group Purchasing Procurement
- 3.3 Availability of Funds

Section 4: Proposal Submission Procedures

- 4.1 Proposal Submission
- 4.2 Freight Terms
- 4.3 Altered/Amended Proposals
- 4.4 Sales Tax4.5 Samples
- 1.5 Sample
- 4.6 Condition of Items
- 4.7 Right to Reject
- 4.8 Delivery
- 4.9 Variation in Quantity
- 4.10 Bid Deposit 4.11 Accessibility & Section 508 Compliance

Section 5: Evaluation & Award 5.1 Award

5.2 Public Information
5.3 Invoicing
5.4 Payments
5.5 Discrimination
5.6 Assignment
5.7 Other Remedies
5.8 E-Verify
5.9 Bonds
5.10 HUB Subcontracting Plan
5.11 Ethics Reporting
5.12 Best & Final Offers
5.13 Contract Management

Section 6: S	Section 6: Specifications & Scope of Work				
	6.1 Specifications & Scope of Work				
	6.2 Proposal Sheet/Pricing Schedule				

Section 6: Appendices				
Appendix A – Bidder's Checklist				
Appendix B – References				
Appendix C – Affidavit				
Appendix D – Addenda Checklist				
Appendix E – Sample Contract				

		<u>ction 1</u> mmary
1.1 Type of	Solicitation:	Request for Proposal
1.2 Issuing	Office:	Midwestern State University Purchasing & Contract Management Department 3410 Taft Blvd., Daniel Bldg., Room 200 Wichita Falls, TX 76308
1.3 Respons	ses to RFP:	Sealed Competitive Proposals
1.4 <u>Anticipa</u>	ated Schedule of Events:	
lss	suance of RFP:	August 8, 2019
De	eadline for Submission of Questions:	August 20, 2019 (12:00 pm CT)
<u>De</u>	eadline for Response to Questions:	August 21, 2019 (5:00 pm CT) or soon as possible thereafter as practical
De	eadline for Offers:	In issuing office no later than: August 29, 2019 (2:00 pm CT)
1.5 Initial Co	ontract Term:	Date of award to completion
1.6 Optiona	al Contract Terms:	The anticipated term of any resulting agreement will begin on the date an agreement is executed, and expire on August 31, 2019. MSU will have the option of two (2) additional one (1) year renewal periods.
		 Optional Renewal Period #1: September 1, 2020 – August 31, 2020 Optional Renewal Period #2: September 1, 2021 – August 31, 2021
1.7 Contact	Person for this RFP:	Joseph J. Mrugalski Jr.
1.8 Offers S	Submitted:	joe.mrugalski@msutexas.edu
	mail or hand delivery:	Accepted
-	email: fax:	Accepted (Preferred) Not Accepted
1.9 RFP Add	denda:	Notice of changes to items directly affecting the original RFP or offer process will be posted on the Electronic State Business Daily (ESBD) located at: <u>http://esbd.cpa.state.tx.us</u> and the MSU Purchasing webpages located at: <u>http://www.msutexas.edu/purchasing</u> Amendments to the solicitation will be posted as RFP an addendum. It is the responsibility of an interested party to check periodically the ESBD and/or MSU Purchasing webpage for updates to the RFP prior to submitting an offer. Each respondent is solely responsible for verifying receipt Addendum, if applicable, and offer by the deadlines specified.
1.10 Questi	ions & Responses:	Questions regarding this RFP must be in writing and must be submitted to contact person for this RFP noted in Section 1.7.

	<u>Telephone inquiries will not be accepted</u> . MSU intends to post responses to the questions received in the form of an addendum on the MSU Purchasing web site @ <u>http://msutexas.edu/purchasing/.</u> Each bidder is solely responsible for verifying receipt addendum, if applicable, and offer by the deadlines specified.
1.11 Bidder Presentations:	Presentations/interviews are an option of the evaluation team and may <u>or</u> may not be conducted; therefore, proposals should be complete when submitted by the deadline indicated in the Part 5. The presentation will be conducted at a location, date and time to be arranged. MSU will determine the number of top-scoring respondents in its sole discretion.
1.12 Contact with MSU Staff:	Upon issuance of this RFP, employees and representatives of MSU, other than the MSU contact person identified in Section 1.7, will not discuss the contents of the RFP with any bidder or its representatives. Failure of a bidder or any of its representatives may result in disqualification of any related offer. This restriction does not preclude discussions between affected parties for the purpose of conducting business unrelated to this procurement.
1.13 Additional Requirements/Qualifications:	N/A

1.14 Evaluation of Offer under Best Value Standard (Texas Government Code §2157.003): The proposal analysis will include:

Criteria	Weight
Respondent's Past Performance, Qualifications & Experience, References, Delivery Time &	30%
Compliance with MSU Specifications	
Cost	70%
Total:	100%

The factors listed in Texas Government Code §215.074, 2156.007 & 2157 shall also be considered in making an award when specified.

Section 2 General Information

2.1 Introduction

Midwestern State University seeks proposals from qualified vendors for **Nursing Equipment for the New Health Science & Human Services Building.** Services are specifically described in Section 6 (Specifications/Scope of Work).

2.2 General Terms & Conditions

These General Terms and Conditions apply to all offers made to Midwestern State University (herein after referred to as "University") by all prospective vendors (herein after referred to as "Bidders") on behalf of Solicitations including, but not limited to, Invitations to Bid and Request for Proposals.

Section 3 Notice to Bidders PLEASE NOTE CAREFULLY

Review this document in its entirety. Be sure your proposal is complete, and double-check your proposal for accuracy.

THIS IS THE ONLY APPROVED INSTRUCTION FOR THIS PROPOSAL. ITEMS BELOW APPLY TO AND BECOME PART OF TERMS AND CONDITIONS OF PROPOSAL. ANY EXCEPTIONS THERETO MUST BE IN WRITING.

PROPOSALS SUBMITTED AFTER THE SUBMISSION DEADLINE SHALL BE RETURNED UNOPENED AND WILL BE CONSIDERED VOID AND UNACCEPTABLE.

This is a Quotation inquiry only and implies no obligation on the part of the University. All costs quotations must include all the various features needed to satisfy the requirements. Note: No amounts will be paid for the items in this PROPOSAL in excess of the amounts quoted.

The contractor agrees to protect the University from claims involving infringement of patents or copyrights.

3.1. Clarification of Instructions or Specifications

Questions requiring only clarification of instructions or specifications will be handled through the email process. **Telephone inquiries will not be accepted**. If any questions results in a change or addition to this Proposal, the change(s) and addition(s) will be addressed to all vendors involved as quickly as possible in the form of an addendum. It is the responsibility of the bidder to view the posting on the MSU purchasing web page located at http://mwsu.edu/purchasing/. Written inquires pertaining to proposals must give Proposal Number. Oral or other written interpretations or clarifications shall be without legal effect.

3.2. Group Purchasing Procurement

Texas law authorizes institutions of higher education (defined by Texas Education Code §61.003) to use the group purchasing procurement method (Texas Education Code §51.9335, 73.115, and 74.008). Additional Texas institutions of higher education may therefore elect to enter into a contract with the successful Bidder under this RFP.

3.3 Availability of Funds

Award of this proposal will be contingent on availability of Midwestern State University funds.

3.4 Non-Bid Solicitations

Phone calls/emails from vendors using this bid in an attempt to make a sales call (which circumvents the bid process) will not receive a response.

Section 4 Proposal Submission Procedures

4.1 Proposal Submission

Each proposal shall be properly identified with the name and number of proposal and name of bidder submitting proposal. Proposals must be in the MSU Purchasing Office **BEFORE** the hour and date specified in accordance with Section 1.8. Submitted proposals will be date/time stamped upon receipt.

Electronic submissions are preferred and must be sent to the contact person email address referenced in Section 1.7.

One (1) original individually bound completed proposal and one (1) electronic version (USB Drive) is required if submissions are to be mailed or hand delivered. See Section 1.8 for acceptable submission requirements.

Mailed or hand delivered submissions must be received <u>in</u> the issuing office noted in Section 1.2 before the scheduled deadline for submissions. Submissions received after the deadline will not be accepted. This includes submissions using overnight or next day mailing services that do not arrive in the issuing office by the scheduled deadline for submission.

BIDDERS SHALL SUBMIT PROPOSAL ON THE FORM PROVIDED, SIGN THE VENDOR AFFIDAVIT NOTICE, BIDDER'S CHECKLIST AND RETURN ENTIRE PROPOSAL PACKET. In the event of inclement weather and the University Offices are officially closed on a proposal opening day, proposals will be received until 2:00 p.m. of the next business day. At which time said proposals will be privately opened.

Proposals MUST give full firm name and address of the bidder. Failure to manually sign proposal will result in disqualification. Person signing proposal should show TITLE or AUTHORITY TO BIND HIS FIRM IN A CONTRACT.

References shall be included. Three current customers with a comparable purchase shall be listed with complete name, address, telephone number and contact person.

Any catalog, brand name or manufacturer's reference used in a proposal invitation is descriptive-NOT restrictive-it is to indicate type and quality desired unless otherwise indicated. Proposals on brand of like nature and quality may be considered. If proposal is based on other than referenced specifications, proposal must show manufacturer, brand or trade name, lot number, etc., of article offered. If other than brand(s) specified is offered, illustrations and complete description should be made part of the proposal. If bidder takes no exception to specifications or reference data, he will be required to furnish brand names, numbers, etc., as specified.

4.2 Freight Terms

QUOTE F.O.B. DESTINATION. If otherwise, show exact cost to deliver. Proposal unit price on quantity specified – extend and show total. In case of errors in extension, UNIT prices shall govern. Proposals subject to unlimited price increase will not be considered.

4.3 Altered/Amended Proposals

Proposals CANNOT be altered or amended after opening time. Any alterations made before opening time must be initialed by bidder or his/her authorized agent. No proposal can be withdrawn after opening without the approval by the Vice-President of Administration & Finance based on a written acceptable reason.

4.4 State Sales Tax

The University is exempt from State Sales Tax and Federal Excise Tax. DO NOT INCLUDE TAX IN PROPOSAL.

4.5 Samples

Samples, when requested, must be furnished free of expense to the University. If not destroyed in examination, they will be returned to the bidder on request, at his/her expense. Each sample should be marked with bidder's name, address, and University proposal number. **DO NOT ENCLOSE OR ATTACH SAMPLE TO PROPOSAL**.

4.6 Condition of Items

All items proposed shall be new, in first class condition suitable for shipment and storage (the University prefers recycled packaging whenever possible), unless otherwise indicated in proposal. Verbal agreements to the University will not be recognized. All materials and services shall be subject to Purchaser's approval. Unsatisfactory materials will be returned at Seller's expense.

4.7 Right to Reject

The University reserves the right to accept or reject all or any part of any proposal, waive minor technicalities and award to the Bidder that proposals to the Best Value to the University. The University reserves the right to award by item or by total proposal. Prices should be itemized.

All proposals meeting the intent of this request for proposal will be considered for award. Bidders taking exception to the specifications, or offering substitutions, shall state these exceptions by attachment as part of the proposal. The absence of such a list shall indicate that the bidder has not taken exception and shall hold the bidder responsible to perform in strict accordance with the specifications of the invitation. The University reserves the right to accept any and all or none of the exception(s)/substitution(s) deemed to be in the best interest of the University.

4.8 Delivery

Proposal must show number of days required to make delivery to place material in receiving agency's designated location under normal conditions. Failure to state delivery time obligates bidder to complete delivery in 14 calendar days. A five-day difference in delivery promise may break a tie. Unrealistically short or long delivery promises may cause proposal to be disregarded. Consistent failure to meet delivery promises without valid reason may cause removal from bidder list. Delivery shall be made during normal working hours only, 8:00 a.m. to 5:00 p.m., unless prior approval for late delivery has been obtained from the Director of Purchasing.

If delay is foreseen, contractor shall give written notice to Director of Purchasing. The University has the right to extend delivery date if reasons appear valid. Contractor must keep University advised at all times of status of order. Default in promised delivery (without accepted reasons) or failure to meet specifications, authorizes the University to purchase supplies elsewhere and charge full increase in cost and handling to defaulting contractor.

Consistent and continued tie bidding could cause rejection of proposals by the University and/or investigation for Anti-Trust violations.

4.9 Variation in Quantity

The University assumes no liability for commodities produced, processed or shipped in excess of the amount specified herein.

4.10 Bid Deposit

Bid Deposit A deposit required with submitted proposals from bidders to protect the State in the event a low bidder attempts to withdraw its bid or otherwise fails to enter into a contract with the State. A Bid Deposit of five percent (5%) will be required if your bid is \$25,000 or above.

4.11 Accessibility & Section 508 Compliance

Bidders are required to supply detailed information on how their proposed products, services and solutions address the requirements of Section 508 of the Rehabilitation Act of 1973 (revised) (if applicable).

For each Information Communication Technology recourse (ICT) product or service included in solicitation responses subject to Texas Administrative Code 1 TAC 206 & 1 TAC 213 (which includes the U.S. Section 508 technical specifications), the Vendor shall provide documentation of how each requirements or specification is met.

It is the Bidder's responsibility to maintain the integrity of any accessibility documentation provided to the University. Any documentation shall be considered a self-attestation unless expressly affirmed otherwise.

If the bidder plans to provide commercial off the shelf (COTS) software as part or all of a solicitation response, the bidder shall provide a completed Voluntary Product Accessibility Template (VPAT) for each COTS product offered. For third party COTS products, the bidder must obtain and submit VPATS or links to them from the third party as part of the solicitation response. The VPAT template can be obtained at ITI's website:

https://www.itic.org/dotAsset/db71ce67-c44a-4925-8d46-f8a76c3a1db2.doc

The VPAT consists of a long series of tables. The initial one, the Summary Table, is used to provide a sense of your product's overall "level of compliance" with Texas Administrative Codes ITAC 206 & ITAC 213 Accessibility Requirements. Subsequently, the Section 1194.xx Tables contain the detailed subparagraphs the Section 508 requirements are comprised. It is within these tables you shall define in detail how your product did or did not comply with a specific requirement.

Section 5 Award/Post Award

5.1 Award

A written purchase order or notice of award mailed or otherwise furnished to the successful bidder within the time of acceptance specified in this package results in a binding contract without further action by either party.

No substitutions or cancellations permitted without written approval of Director of Purchasing.

SUCCESSFUL VENDOR WILL BE NOTIFIED BY EMAIL OR MAIL. All responding vendors will receive written notification regarding the outcome of the award.

5.2 Public Information

Bidders are hereby notified that the University strictly adheres to all statutes, court decisions and the opinions of the Texas Attorney General with respect to disclosure of public information.

The University may seek to protect from disclosure all information submitted in response to this RFP until such time a final agreement is executed

Upon execution of a final agreement, the University will consider all information, documentation, and other materials requested to be submitted in response to this RFP, to be of a non-confidential and non-proprietary nature and, therefore, subject to public disclosure under the Texas Public Information Act (Texas Government Code, Chapter 552.001, et seq.). Bidders will be advised of a request for public information that implicates their materials and will have the opportunity to raise any objections to disclosure to the Texas Attorney General. Certain information may be protected from release under Texas Government Code § 552.101, 552.110, 552.113, and 552.131, Government Code.

5.3 Invoicing

Bidder shall submit two (2) copies of an itemized invoice showing proposal number and purchase order number to:

Midwestern State University ATTN: Accounts Payable 3410 Taft Blvd. Wichita Falls, TX. 76308

5.4 Payments

The University, after receipt of completed order will make payment to the contractor within 30 days from the receipt of goods or invoice whichever is later in accordance with Texas Government Code §2251.021. All partial shipment must be pre-approved by the Director of Purchasing. In the event of partial shipments, the University is not required to make payments until the order is complete. Acceptance of and final payment for the item will be contingent upon satisfactory performance of the product received by the University.

5.5 Discrimination

In order to comply with the provisions of fair employment practices, the contractor agrees as follows:

1.) The contractor will not discriminate against any employee or applicant for employment because of race, sex, religion, handicap, or national origin.

2.) in all solicitations or advertisements for employees, the contactor will state that all qualified applicants will receive consideration without regard to race, color, age, sex (including pregnancy, gender identity and sexual orientation), religion, disability, genetic information, veteran status, or national origin, or any other legally protected category, class, or characteristic;

3.) The contractor will furnish such relevant information and reports as request by the University for the purpose of determining compliance with these regulations; and

4.) Failure of the contractor to comply with these laws will be deemed a breach of contract and it may be cancelled, terminated or suspended in whole or in part.

5.6 Assignment

Any contract entered into pursuant to this request is not assignable, nor the duties thereunder, by either party without the written consent of the other party in the contract.

5.7 Other Remedies

In addition to the remedies stated herein, the University has the right to pursue other remedies permitted by law or in equity.

5.8 E-Verify

Bidders certifies that for contract for services, bidders shall utilize the U.S. Department of Homeland Security E-Verify system during the term of the contract to determine the eligibility of:

- All persons employed by bidders to perform duties within Texas; and
- All persons, including subcontractors, assigned by bidders to perform work pursuit the contract within the United States.

5.9 Bonds

Payment Bond - A deposit, pledge, or contract of guaranty supplied by a contractor to protect the State against loss due to the contractor's failure to pay subcontractors and material suppliers. If awarded the project a Payment Bond will be required if your bid is \$25,000 or above.

Performance Bond - A deposit, pledge, or contract of guaranty supplied by a contractor to protect the State against loss due to the contractor's inability to complete the contract as agreed. If awarded the project a Performance Bond is required for bids of \$100,000 or above.

5.10 HUB Subcontracting Plan

A HUB Subcontracting Plan ("HSP") is required as part of bidder's proposal if your proposal is \$100,000 or above. Each bidder must complete and return the HSP in accordance with the terms and conditions of this RFP. HSP can be found at the below listed link:

http://www.window.state.tx.us/procurement/prog/hub/hub-subcontracting-plan/

Bidders that fail to do so will be considered non-responsive to this RFP in accordance with Texas Government Code §2161.252. The University has reviewed this RFP in accordance with Title 34, Texas Administrative Code, §20.13 (a), and has determined that subcontracting opportunities are probable under this RFP.

5.11 Ethics Commission Reporting

The University is required under Texas Legislature House Bill 1295 (Texas Government Code §2252.908) to request Ethics Commission Reporting from contractors with agreements that has a value of at least \$1 million (value of an agreement is based on the amount of consideration received or to be received by the contractor from the University).

The Business Entity must file Form 1295 electronically with the Texas Ethics Commission using the online filing application: <u>https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm</u>

5.12 Best and Final Offer

When deemed appropriate, after the submission of proposals but before the final selection of the successful proposal, the University may permit a bidder to revise its proposal in order for the University to obtain a best and final offer (BAFO). The University will provide each bidder within the competitive range with an equal opportunity for discussion and revision of their proposal, and a bidder may elect not to amend their original proposal. The University is not bound to accept the best-priced proposal if that proposal is not the most advantageous to the University as determined by the evaluation team.

This contract shall remain in effect until completion and acceptance by the University. Midwestern State University reserves the right to enforce the performance of this contract in any manner prescribed by law or deemed to be in the best interest of the University in the event of breach or default if this contract. The University reserves the right to terminate the contract immediately in the event the successful bidder fails to make delivery in accordance with the specifications.

5.13 Contract Management

Contract management is the process of directing contract planning, formation, execution, and assessment through closeout to maximize financial and operational performance and minimize risk. The University shall comply with Texas Government Code § 2261.256 & Midwestern State University Policy 2.24 the University regarding contract management

Section 6 Specifications/Scope of Work

It is the intent of these specifications to describe the minimum requirements for the above titled project at Midwestern State University in sufficient detail to secure comparable proposals.

Each bidder must confirm he/she fully understands these specifications and the University's needs and satisfies himself/herself that he/she is cognizant of all factors relating to requirements contained in these specifications.

The proposal analysis will include compliance to proposal specifications, past performance with vendor, references, delivery time and overall cost. Weighted averages are calculated as noted in Section 1.14. The University reserves the right to consider deviations from these specifications.

Please note the following:

- Specifications and drawing at the below Link under current proposal opportunities listed under the RFP number: <u>http://msutexas.edu/purchasing/</u>
- Supply schedule and lead time for project with proposal.
- Supply an insurance certificate with your Proposal.
- Supply a W-9 with your Proposal if new to Midwestern State University.
- 2010 Uniform General Conditions apply to this Proposal and can be found at the below listed link:
- <u>http://msutexas.edu/purchasing/contract-management</u>

6.1 Specifications & Scope of Work (Equipment List)

Nursing Equipment List RFP 735-19-4321

Equipment	Mfg	Part #	Qty
Transport Stretcher	Hill-Rom	P8005	15
Standard Features:			
700 lb. Weight Capacity			
Full Perimeter Bumpering			
3/4 inch Standard IV Pole Sockets			
Six Transport Strap Locations			
Large Storage Area			
Pneumatic Head Section			
8 inch Tente Carpet Casters			
Included Options:			
26 inch (660 mm) Deck Width			
3 inch (76 mm) Thick Mattress			
Mattress meets CAL129 Firecode			
Brake Pedals @ Head & Foot			
English Language Labels			
Hydraulic Pedals on both sides			
Accent Color - Undecided			
Light Neutral Bellows			
Head End Siderail Gap			
Conductive Caster			
Stretcher Warranty: 3 Years Parts, 2 Years Mattress, 1 Year Service			
Itemitzed Options			
TN Transport P8005			
ST-SP 5th Wheel Steering			
Transport Stretcher	Stryker	748000000	15
Standard Features:			

Wide Transport-30 inch (0748000000)			
2 Stage IV Pole Head End (with Push Handles) (0746035025)			
ULTRA COMFORT, SE 4 x 30 W/FB (1704034301)			
Four Sided Brake/Steer Control (1105003220)			
500 lbs Weight Capacity (0748016000)			
Gray ID Bumpers (1105003552)			
Themoformed ABS Base with 4 Side (0747010200)			
Steel Pneumatic Fowler (0748010010)			
No IV Pole Foot End (without Push Handles) (0766035060)			
Unboxed Packaging (9000900900)			
1 Year Parts/Labor/Travel (7777770100)			
0748, DPM LABEL			
OB GYN Stretcher	Hill-Rom	P8050	1
Standard Features:		18050	1
Dampened Instant CPR			
Battery Back-Up			
Lo-Lo Indicator			
4 Dual-Locking Casters			
Electric Trendelenburg			
Adjustable Height, Head & Knee			
Point of Care [™] Siderail Controls with Lockouts			
Line of Site® Angle Indicators			
Four-Sided Brake & Steer Pedals			
Integrated Foot Support			
Push Handles			
Stowable IV Pole			
Sliding Litter			
Stowable Foot Section			
Catch Basin			
Auto Contour			
Removable Head & Footboard/CPR			
4 IV Pole Sockets			
Mattress		77702 14	10
Wall-mounted Diagnostic Integerated Wall System	Welch Allyn	77792-M	10
Standard Foaturoc			
Standard Features:			
Otoscope			
Otoscope Opthalmoscope			
Otoscope Opthalmoscope Wall Aneroid Sphygmomanometer			
Otoscope Opthalmoscope			
Otoscope Opthalmoscope Wall Aneroid Sphygmomanometer	GE Healthcare	M112198	1
Otoscope Opthalmoscope Wall Aneroid Sphygmomanometer 30 inch x 12 inch Wall Mount Panel Panda® iRes Infant Warmer Height: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)	GE Healthcare	M112198	1
Otoscope Opthalmoscope Wall Aneroid Sphygmomanometer 30 inch x 12 inch Wall Mount Panel Panda® iRes Infant Warmer Panel	GE Healthcare	M112198	1
Otoscope Opthalmoscope Wall Aneroid Sphygmomanometer 30 inch x 12 inch Wall Mount Panel Panda® iRes Infant Warmer Height: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)	GE Healthcare	M112198	1
Otoscope Opthalmoscope Wall Aneroid Sphygmomanometer 30 inch x 12 inch Wall Mount Panel Panda® iRes Infant Warmer Height: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches) Width: 63.5 cm (25 inches)	GE Healthcare	M112198	
Otoscope Opthalmoscope Wall Aneroid Sphygmomanometer 30 inch x 12 inch Wall Mount Panel Panda® iRes Infant Warmer Height: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches) Width: 63.5 cm (25 inches) Weight: Approx 100 Kg (220 lbs)	GE Healthcare	M112198	
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)	GE Healthcare	M112198	
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)	GE Healthcare	M112198	
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)	GE Healthcare	M112198	
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant Warmer	GE Healthcare GE Healthcare	M112198 M112198 M112198 M112198 M112198 M112198	
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x0.75 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bet Sprox 100 Kg (220 lbs)Footprint: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Mattress Size: 66x48x2cm (26x19x1.5 inches)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Wall-mounted Anerioid Sphygmomanometer with Adult Cuff			
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)	GE Healthcare	2063568-001	
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Wall-mounted Anerioid Sphygmomanometer with Adult Cuff	GE Healthcare Welch Allyn	2063568-001 2063568-001	1 1
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Wall-mounted Anerioid Sphygmomanometer with Adult CuffQuick Connect Adapter, Vaccum, Ohmeda x DISS Male	GE Healthcare GE Healthcare Welch Allyn Precision Medical	2063568-001 2063568-001 2063568-001	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Wall-mounted Anerioid Sphygmomanometer with Adult CuffQuick Connect Adapter, Vaccum, Ohmeda x DISS Male1200cc Hi-Flow Suction Canister	GE Healthcare GE Healthcare Welch Allyn Precision Medical	2063568-001 2063568-001 2063568-001	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
OtoscopeOpthalmoscopeWall Aneroid Sphygmomanometer30 inch x 12 inch Wall Mount PanelPanda® iRes Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)Width: 63.5 cm (25 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Giraffe® Infant WarmerHeight: Adjustable 193-218 cm (76-86 inches)Depth: 119.4 cm (47 inches)Weight: Approx 100 Kg (220 lbs)Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)Floor Space: 7582 sq cm (1175 sq inches)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)Wall-mounted Anerioid Sphygmomanometer with Adult CuffQuick Connect Adapter, Vaccum, Ohmeda x DISS Male1200cc Hi-Flow Suction CanisterIncludes:	GE Healthcare GE Healthcare Welch Allyn Precision Medical	2063568-001 2063568-001 2063568-001	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Height: 7.5 inches (19.05 cm)			
Empty Weight: 0.77 lbs			
Full Weight: 3.37 lbs			
Suction Tubing Kit, Disposable (1 each 18 inches and 72 inches, 1/4 inch ID	Allied Healthcare	21-01-90-2000	18
Quick Connect Adapter, Oxygen, O2, Ohmeda x DISS Male	Precision Medical	539-2105	8
Sharps-A-Gator™ Locking Wall Bracket 3 & 4 Quart	Medtronic Sharps-A-Gator™	8881676624	14
Sharps-A-Gator [™] Sharps Container with Slide Lid - 1 Gallon	Sharps-A-Gator™	03-78-5201	14
Injection Trainer	Limbs & Things	00310	14

Additional Requirements:

• NO SUBSTITUTIONS

- All delivery, freight and installation costs included, but list separately at the end of the bid
- This bid may be awarded completed to (1) vendor, but could be split to several vendors depending on the Best Value for the University.
- Not all items noted in the equipment list are subject to being ordered. (See section 4.7)

6.2 Proposal Sheet/Pricing Schedule

Provide pricing based on the information in Section 6.1 preferably in the following format:

					Extended	Est Deliver
Equipment	Mfg	Part #	Qty	Unit Price	Price	ARO
Transport Stretcher	Hill-Rom	P8005	15			
Standard Features:						
700 lb. Weight Capacity						
Full Perimeter Bumpering						
3/4 inch Standard IV Pole Sockets						
Six Transport Strap Locations						
Large Storage Area						
Pneumatic Head Section						
8 inch Tente Carpet Casters						
Included Options:						
26 inch (660 mm) Deck Width						
3 inch (76 mm) Thick Mattress						
Mattress meets CAL129 Firecode						
Brake Pedals @ Head & Foot						
English Language Labels						
Hydraulic Pedals on both sides						
Accent Color - Undecided						
Light Neutral Bellows						
Head End Siderail Gap						
Conductive Caster						
Stretcher Warranty: 3 Years Parts, 2 Years Mattress, 1 Year Service						
Itemitzed Options						
TN Transport P8005						
ST-SP 5th Wheel Steering						
Transport Stretcher	Stryker	748000000	15			
Standard Features:						
Wide Transport-30 inch (0748000000)						
2 Stage IV Pole Head End (with Push Handles) (0746035025)						

RFP 735-19-4323

				 gaipment for i	
ULTRA COMFORT, SE 4 x 30 W/FB (1704034301)					
Four Sided Brake/Steer Control (1105003220)					
500 lbs Weight Capacity (0748016000)					
Gray ID Bumpers (1105003552)					
Themoformed ABS Base with 4 Side (0747010200)					
Steel Pneumatic Fowler (0748010010)					
No IV Pole Foot End (without Push Handles) (0766035060)					
Unboxed Packaging (9000900900)					
1 Year Parts/Labor/Travel (7777770100)					
0748, DPM LABEL					
OB GYN Stretcher	Hill-Rom	P8050	1		
Standard Features:					
Dampened Instant CPR					
Battery Back-Up					
Lo-Lo Indicator					
4 Dual-Locking Casters					
Electric Trendelenburg					
Adjustable Height, Head & Knee					
Point of Care [™] Siderail Controls with Lockouts					
Line of Site [®] Angle Indicators					
Four-Sided Brake & Steer Pedals					
Integrated Foot Support					
Push Handles					
Stowable IV Pole					
Sliding Litter					
Stowable Foot Section					
Catch Basin					
Auto Contour					
Removable Head & Footboard/CPR					
4 IV Pole Sockets					
Mattress					
Wall-mounted Diagnostic Integerated					
Wall System	Welch Allyn	77792-M	10		

RFP 735-19-4323

Standard Features:					
Otoscope					
Opthalmoscope					
Wall Aneroid Sphygmomanometer					
30 inch x 12 inch Wall Mount Panel					
Panda [®] iRes Infant Warmer	GE Healthcare	M112198	1		
Height: Adjustable 193-218 cm (76-86 inches) Depth: 119.4 cm (47 inches)					
Width: 63.5 cm (25 inches)					
Weight: Approx 100 Kg (220 lbs)					
Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)					
Floor Space: 7582 sq cm (1175 sq inches)					
Mattress Size: 66x48x2cm (26x19x0.75 inches)					
Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)					
Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)					
Giraffe [®] Infant Warmer	GE Healthcare	2063568-001	1		
Height: Adjustable 193-218 cm (76-86 inches)					
Depth: 119.4 cm (47 inches)					
Weight: Approx 100 Kg (220 lbs)					
Footprint: 119.4 x 63.5 cm (47 inches x 25 inches)					
Floor Space: 7582 sq cm (1175 sq inches)					
Mattress Size: 66x48x2cm (26x19x1.5 inches)					
Bed Capacity: Patient Weight Up to 13.6 Kg (30 lbs)					
Bed Tilting: +/- 12 degrees continuous tile (Bubble level indicates level bed)					
Wall-mounted Anerioid Sphygmomanometer with Adult Cuff	Welch Allyn	7670-01	8		
Quick Connect Adapter, Vaccum, Ohmeda x DISS Male	Precision Medical	539-2305	11		
1200cc Hi-Flow Suction Canister	Bemis	133-484410EA	10		
Includes:					
Bottom Diameter: 4 inches (10.16 cm)					
Top Diameter: 6.125 inches (15.56 cm)					
Height: 7.5 inches (19.05 cm)					

RFP 735-19-4323

				0		0
Empty Weight: 0.77 lbs						
Full Weight: 3.37 lbs						
Suction Tubing Kit, Disposable (1 each 18 inches and 72 inches, 1/4 inch ID	Allied Healthcare	21-01-90-2000	18			
Quick Connect Adapter, Oxygen, O2, Ohmeda x DISS Male	Precision Medical	539-2105	8			
Sharps-A-Gator™ Locking Wall Bracket 3 & 4 Quart	Medtronic Sharps-A- Gator™	8881676624	14			
Sharps-A-Gator™ Sharps Container with Slide Lid - 1 Gallon	Sharps-A-Gator™	03-78-5201	14			
Injection Trainer	Limbs & Things	00310	14			
				Sub-Total		
	Shipping					
				Total		
Additional Notes:						

Vendor Name:		*-
Contact Name:		 *Proposals must be signed by the responding company's official authorized to commit such proposals. Failure to sign the Proposal Sheet/Pricing Schedule will be
Title:		
Street Address:		
City, State, Zip Code		
Phone Number:		
Contact E-Mail:		diqualification.
*Signature of Authorized Representative:		, addition.

Appendix A BIDDER'S CHECKLIST SUBMITTAL

Vendor Name:	
Contact Name:	
Title:	
Street Address:	
City, State, Zip Code	
Phone Number:	
Contact E-Mail:	
*Initials of Authorized Representative:	

Due Date: Request Number: RFP 735-19-4323

Check-off

- 1. ____ Response to Solicitation
- 2. ____ *Completed Proposal Sheet/Pricing Schedule (ref Section 6.2)
- 3. <u>Signed and Completed HUB Subcontracting Plan (if necessary)</u>
- 4. ____ Voluntary Product Accessibility Template (VPAT) (if necessary)
- 6. ____ Signed and Completed Bidder's Checklist (ref Appendix A)
- 7. ____ Completed References (ref Appendix B)
- 8. ____ Signed and Completed Affidavit (ref Appendix C)
- 9. <u>Completed and initialed Addenda Checklist (ref Appendix D)</u>
- 10. ____ Bid Deposit (if necessary)
- 11. ____ Certificate of Liability Insurance
- 12. ____Completed & Signed W9

*Proposals must be signed by the responding company's official authorized to commit such proposals. Failure to sign the Execution of Offer will be basis for proposal disqualification.

Deliver Proposal to:

Midwestern State University Purchasing & Contract Management Department 3410 Taft Blvd., Daniel Bldg., Room 200 Wichita Falls, TX 76308

Appendix B VENDOR REFERENCES

Please list three (3) references of current customers who can verify the quality of service your company provides. The University prefers customers of similar size and scope of work to this proposal. *THIS FORM MUST BE RETURNED WITH YOUR PROPOSAL*.

REFERENCE ONE

Government/Company Name		
Address:		
Contact Person and Title:		
Phone:	Fax:	
Contract Period:	Scope of Work:	
REFERENCE TWO		
Government/Company Name		
Address:		
Contact Person and Title:		
Phone:	Fax:	
Contract Period:	Scope of Work:	
REFERENCE THREE		
Government/Company Name		
Address:		
Contact Person and Title:		
Phone:	Fax:	
Contract Period:	Scope of Work:	

Appendix C **AFFIDAVIT**

The undersigned certifies that the bid prices contained in this proposal have been carefully checked and are submitted as correct and final and if bid is accepted (within 90 days unless otherwise noted by vendor), agrees to furnish any and/or all items upon which prices are offered, at the price(s) and upon the conditions contained in the Specifications.

STATE OF _____

COUNTY OF _____

BEFORE ME, the undersigned authority, a Notary Public in and for the State of ,

on this day personally appeared

who, after having first been duly sworn, upon oath did depose and say;

That the foregoing proposal submitted by

hereinafter called "Bidder" is the duly authorized agent of said company and that the person signing said proposal has been duly authorized to execute the same. Bidder affirms that they are duly authorized to execute this contract, that this company, corporation, firm, partnership or individual has not prepared this bid in collusion with any other Bidder, and that the contents of this bid as to prices, terms or conditions of said bid have not been communicated by the undersigned nor by any employee or agent to any other person engaged in this type of business prior to the official opening of this bid.

Name and Address of Bidder:

	-
Telephone	_
Telephone:	_
Email:	_
Signature:	
Name:	_
Title:	_
SWORN TO AND SUBSCRIBED BEFORE ME THIS	_day of
20	
Notary Public in and for the State of	

Appendix D ADDENDA CHECKLIST

Proposal of	•
-------------	---

(Bidder's Company Name)

To: Midwestern State University

The undersigned bidder hereby acknowledges receipt of the following Addenda to the captioned RFP (initial if applicable).

No. 1 _____ No. 2 _____ No. 3 _____ No. 4 _____ No. 5 _____

Contact Name:	
Title:	
*Initials of Authorized Representative:	